



AST.




AdBlue®

5 liter, 10 liter


- ✓ With an optional integrated outlet pipe in the side panel
- ✓ Space-saving solution
- ✓ Optimized dosing aid for end users
- ✓ Pre-assembled upon request with the spout already installed
- ✓ Delivery is available, optionally with a personalized sleeve already attached

Material:

- ✓ HDPE | 100% PCR non UN





1200					
					
Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
10 AdBlue®	380 / 400 / 420 / 440	232 x 192 x 310	20	25	Nr. 45 (Ø 35mm)




AS-Series


10 liter, 12 liter

- ✓ Very high chemical resistance
- ✓ High resistance to tension cracks
- ✓ Reduced operating weights
- ✓ Potential for cost savings
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
AS 10	350UN / 400UN / 440UN	233 x 200 x 294	20	25	Nr. 45 (Ø 35mm) & Nr. 51 (Ø 43mm) & Nr. 61 (Ø 48mm)
AS 12	420UN / 470UN / 510UN	233 x 200 x 344	20	25	




AS-Series


20 liter - 25 liter

- ✓ Enabling thinner wall thicknesses while maintaining high stability
- ✓ Innovative lightweight construction to meet current market demands
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | PCR up to 50 % UN | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
AS 20	660UN / 730UN / 820UN / 920UN / 980UN	290 x 250 x 376	12	16	Nr. 61 (Ø 48mm)
AS 22,5	790UN / 980UN / 1.070UN	290 x 250 x 410	12	16	
AS 25	850UN / 950UN / 1.000UN / 1.050UN / 1.150UN	290 x 250 x 442	12	16	




CK-Series


5 liter

- ✓ Suitable for specialized dosing equipment and dispensing systems
- ✓ High stability and extreme durability
- ✓ Excellent residual drainage
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | PCR up to 50 % UN | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
CK 5	290 / 320UN / 360UN	246 x 143 x 214	24	32	Nr. 51 (Ø 43mm)




CKK-Series


17,5 liter - 30 liter

- ✓ Specifically designed for shipping containers
- ✓ Efficient container loading for export
- ✓ Optimized for road transport
- ✓ Optionally available with a transparent strip
- ✓ Optionally available with venting for easy pouring
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
CKK 17,5	770UN / 850UN / 915UN	292 x 234 x 344	14	17	Nr. 51 (Ø 43mm) & Nr. 61 (Ø 48mm)
CKK 20	830UN / 920UN / 1.000UN / 1.200UN	292 x 234 x 390	14	17	
CKK 21	850UN / 940UN / 1.020UN / 1.240UN	292 x 234 x 406	14	17	
CKK 22,5	910UN / 1.000UN / 1.090UN / 1.320UN	292 x 234 x 430	14	17	
CKK 25	950UN / 1.050UN / 1.150UN / 1.400UN	292 x 234 x 468	14	17	
CKK 27,5	1.250	292 x 234 x 497	14	17	
CKK 25	1.280UN	325 x 291 x 389	8	12	Nr. 61 (Ø 48mm)
CKK 30	1.400UN	325 x 291 x 440	8	12	




CPK Series


20 liters

- ✓ Specially optimized for chemical pallets
- ✓ Ergonomically designed grip area
- ✓ Stable even stacked high
- ✓ Excellent residual drainage
- ✓ Child-safe design available
- ✓ Food-safe
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
CPK 20	800UN / 900UN / 980UN	290 x 240 x 384	13	16	Nr. 61 (Ø 48mm)




EST-Series


5 liters - 6 liters

- ✓ Excellent residual drainage
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | PCR up to 50% UN | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
EST 5	220 / 230UN / 280UN	185 x 164 x 235	28	35	Nr. 51 (Ø 43mm) & Nr. 61 (Ø 48mm)
EST 5,5	300UN / 350UN	185 x 164 x 261	28	35	
EST 6	255 / 325UN	185 x 164 x 272	28	35	




EST-Series


10 liters - 15 liters

- ✓ Designed to fit Euro and CP1 pallets perfectly
- ✓ Excellent residual drainage
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | PCR up to 50% UN | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
EST 10	380 / 400UN / 435UN / 480UN	230 x 202 x 306	20	25	Nr. 51 (Ø 43mm) & Nr. 61 (Ø 48mm)
EST 10,5	490UN / 500UN	230 x 202 x 314	20	25	
EST 11	465UN / 515UN	230 x 202 x 328	20	25	
EST 12	480UN / 550UN / 600UN	230 x 202 x 356	20	25	
EST 12,5	560UN	230 x 202 x 361	20	25	
EST 15,H'	650UN	230 x 202 x 434	20	25	




EST-Series


15 liters - 30 liters

- ✓ Highly Customizable
(e.g., with transparent strips)
- ✓ Excellent residual drainage
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | PCR up to 50% UN (up to 25 L) |
100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
EST 15, K'	670UN / 780UN	292 x 258 x 308	12	16	Nr. 61 (Ø 48mm) & Nr. 71 (Ø 58mm) & Nr. 96 (Ø 82mm)
EST 20	800UN / 850UN / 900UN / 980UN / 1.230UN	292 x 258 x 376	12	16	
EST 22,5	880UN / 1.000UN / 1.080UN	292 x 258 x 418	12	16	
EST 25	950UN / 1.070UN / 1.170UN / 1.400UN	292 x 258 x 458	12	16	
EST 27,5	1.230UN	292 x 258 x 495	12	16	
EST 30 H	1.100 / 1.300UN	292 x 258 x 534	12	16	




EST-Series


30 liters - 40 liters

- ✓ Wide range of operating weights
- ✓ Used, among other things, in the antifreeze export industry
- ✓ Robust design
- ✓ High Durability
- ✓ Reusable
- ✓ Food Safety

Material:

- ✓ HDPE | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
EST 30	1.050UN / 1.150UN / 1.300UN / 1.400UN / 1.500UN / 1.750UN	378 x 288 x 399	8	11	Nr. 61 (Ø 48mm)
EST 32	1.350UN	378 x 288 x 418	8	11	
EST 35	1.400UN	378 x 288 x 442	8	11	
EST 38	1.450UN	378 x 288 x 474	8	11	
EST 40	1.500UN	378 x 288 x 495	8	11	



EST-Series

60 liters (center handle/3-handle)

Center handle:


- ✓ Versatile all-rounder
- ✓ Suitable for cost-sensitive applications



3-Handle:

- ✓ Optimized handling thanks to two side carrying handles
- ✓ Particularly suitable for industrial major accounts

Material:

- ✓ HDPE | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
EST 60 - MG	2.100UN / 2.300UN / 2.500UN / 2.800UN	384 x 328 x 637	6 / 8	9	Nr. 61 (Ø 48mm)
EST 60 - 3G	2.850UN	395 x 345 x 645	6 / 8	9	Nr. 71 (Ø 58mm)




KK-Series


10 liters

- ✓ Canister weights ranging from 340 g to 420 g
- ✓ Ideally suited for Euro and CP1 pallets
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | PCR up to 50% UN | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
KK10	300g 340gUN 380gUN	229 x 189 x 292	20	20	Mü. 45 Mü. 51




ST-Series


5 liters / 6 liters

- ✓ Optimized stacking performance
- ✓ Slim design for efficient palletizing
- ✓ Excellent residual drainage
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer EURO 0,80 x 1,20m	Stück Palettenlage pieces per layer CP1 1,00 x 1,20m	Mündung / Verschluss neck / closure type
ST 5	240 / 280UN	193 x 148 x 248	32	40	Nr. 51 (Ø 43mm) & Nr. 61 (Ø 48mm)
ST 6	325UN	193 x 148 x 288	32	40	




SQR-Series


20 liters / 25 liters

- ✓ High rigidity and durability
- ✓ Easy to Use in Everyday Applications
- ✓ Environmentally Friendly Packaging Solution
- ✓ Very high chemical resistance
- ✓ Food-safe
- ✓ Child-safe design available
- ✓ Suitable for numerous types of hazardous materials (UN-approved)

Material:

- ✓ HDPE | 100% PCR non UN





Nenninhalt (L) capacity (litres)	Einsatzgewichte (g) nominal tare weights (g)	Abmessungen L x B x H body dimensions L x W x H (mm)	Stück Palettenlage pieces per layer CP3 1,14 x 1,14m	Mündung / Verschluss neck / closure type
SQR 20	850UN / 950UN / 1.050UN/ 1.150UN	283 x 283 x 394	16	Nr. 61 (Ø 48mm) & Spund/bung 56x4
SQR 25	950UN / 1.050UN / 1.150UN / 1.300UN	283 x 283 x 448	16	